

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	223	(updat\$ or correct\$) near2 cost and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 07:42
L3	45	(updat\$ or correct\$) near2 cost with (time or period\$2 or interval\$4) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 07:45
L4	1	(US-20050135270-\$).did.	US-PGPUB	ADJ	OFF	2009/05/26 07:47
L5	1	4 and (time or period\$2 or interval\$4)	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 07:47
L6	1	(US-20050135270-\$).did.	US-PGPUB	ADJ	OFF	2009/05/26 08:14
L7	0	6 and (delay or latenc\$5)	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 08:14
L8	9	(low\$4 near3 delay\$2 with (select\$5) near2 path) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 08:31
L9	0	(2003/0202511).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/26 08:55
L10	1	("20030202511").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/26 08:55
L11	0	(stop\$4 or interrupt\$4) near2 (transmi\$6) with (exceed or beyond or above\$2) near3 delay and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 09:04

L12	14	(stop\$4 or interrupt\$4) with (exceed or beyond or above\$2) near3 delay and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 09:05
L13	1	(halt\$4) with (exceed or beyond or above\$2) near3 delay and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 09:07
L14	193	(stop\$4 or interrupt\$4 or halt\$5) near2 (transmi\$6) with delay and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 09:08
L15	140	(stop\$4 or ceas\$5 or halt\$5) near2 (transmi\$6) with delay and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 09:09
L16	1	(ceas\$4) with (exceed or beyond or above\$2) near3 delay and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 09:10
L17	29	(stop\$4 or ceas\$5 or halt\$5) with (beyond\$2 or great\$4 or larg\$4) with delay and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 09:11

L18	25	(high\$4 near3 rate\$2 with (select\$4) near2 path) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 09:21
L21	7563	370/229-240.ccls. and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 09:48
S1	7	(sequenc\$5 with retransmi\$5 with independ\$5) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 10:08
S2	23	((TSUNEO) near2 (NAKATA)). INV.	US-PGPUB; USPAT	ADJ	OFF	2009/05/22 10:14
S3	74	((MASAHIRO) near2 (ONO)). INV.	US-PGPUB; USPAT	ADJ	OFF	2009/05/22 10:19
S4	100	((sequenc\$5 or resequenc\$5) with (retransmi\$5 or loss or lost) with independ\$5) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 10:44
S5	7	((sequenc\$5 or resequenc\$5) with (retransmi\$5) with independ\$5) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 10:44
S6	1	(US-5754754-\$).did.	USPAT	ADJ	OFF	2009/05/22 11:43
S7	1	S6 and (order\$2 or number\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 11:44
S8	159	(retransmi\$6 with (timestamp \$2)) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 12:10

S9	4	(arq with (timestamp\$2)) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 12:11
S10	66210	((group\$4) near4 sequenc\$4) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 12:35
S12	98	((group\$4) near4 sequenc\$4 number\$2) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 12:36
S13	919	((transmi\$5 or output\$4) adj3 sequenc\$4 number\$2) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 12:38
S14	95	(sequenc\$4 number\$2) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and ("370").clas. and ((fast\$4 or quick\$4) near4 retransmi\$5) [bsum]	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 12:39
S15	53	((transmi\$5 order) with sequenc\$4 number\$2) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 12:52
S16	630	(ip with sequenc\$4 number\$2) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 13:33
S17	1	(US-20080205308-\$).did.	US-PGPUB	ADJ	OFF	2009/05/22 15:44

S18	0	S17 and (tunnel\$2 or tun\$2) with account\$2 and (account\$2 same sequence\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 15:45
S19	1	S17 and (tunnel\$2 or tun\$2) with account\$3 and (account\$3 same sequence\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/22 15:45
S20	13	(tcp with sequenc\$4 number \$2) same (sequence number\$2 with (reorder\$4)) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 15:53
S21	1	(US-6961349-\$).did.	USPAT	ADJ	OFF	2009/05/25 15:55
S22	1	S21 and (tcp with sequence number\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 15:56
S23	1	(US-6985454-\$).did.	USPAT	ADJ	OFF	2009/05/25 15:59
S24	1	S23 and (sequence number\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 15:59
S25	7	(tcp with sequenc\$4 number \$2) and (sequence number\$2 with (reorder\$4)) and (sequence\$2 number\$2 with unique) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 16:00
S26	1	("6992557").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/25 17:49
S27	1	("6922557").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/25 17:49
S28	1	("20020045435").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/25 17:53
S29	1	S28 and (number\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 18:03

S30	1	S28 and (sequence number\$2 or retransm\$6)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 18:06
S31	1	(US-20020196760-\$).did.	US-PGPUB	ADJ	OFF	2009/05/25 18:23
S32	1	S31 and TCP with sequenc\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 18:23
S33	1	S31 and TCP with sequenc\$4 number\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 18:27
S34	9	(rlc with sequenc\$5) and (tcp with sequence number\$2) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 18:47
S35	1	(US-20040052234-\$).did.	US-PGPUB	ADJ	OFF	2009/05/25 19:00
S36	1	S35 and retrans\$6	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 19:00
S37	1	S35 and sequenc\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 19:02
S38	1	S35 and sequenc\$7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 19:02
S39	9	(rlc with sequen\$6) and (tcp with (order\$5 or reorder\$4)) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 19:10
S40	1	(US-20020196760-\$).did.	US-PGPUB	ADJ	OFF	2009/05/25 19:12
S41	0	S38 and (tcp with (order\$5 or reorder\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 19:13

S42	1	S40 and (tcp with (order\$5 or reorder\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 19:13
S43	19	(tcp with sequenc\$4 number \$2) and (sequence number\$2 with (reorder\$4 or order\$4)) and (sequence\$2 number\$2 with unique) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 19:35
S44	17	tcp same (sequence number\$2 with (reorder\$4 or order\$4)) and (sequence\$2 number\$2 with unique) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 19:36
S45	1	(US-20020196760-\$).did.	US-PGPUB	ADJ	OFF	2009/05/25 21:45
S46	9	(US-20070002748-\$ or US-20080205308-\$ or US-20020045435-\$ or US-20020196760-\$ or US-20040052234-\$ or US-20040095883-\$).did. or (US-5754754-\$ or US-6961349-\$ or US-5594490-\$).did.	US-PGPUB; USPAT	ADJ	OFF	2009/05/25 21:47
S47	1	S46 and (TCP near4 sequen\$5 adj2 (number\$2 or value\$2))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 21:47
S48	6	S46 and (TCP with sequen\$5 adj2 (number\$2 or value\$2))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/25 21:48
S49	159	(select\$4 near2 path\$4 with schedul\$5) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/26 04:03

S50	273	(select\$4 near2 route\$4 with schedul\$5) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/26 04:04
S51	5	(choos\$4 near2 path\$4 with schedul\$5) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/26 04:05
S52	8	(choos\$4 near2 route\$4 with schedul\$5) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/26 04:15
S53	143	(select\$4 near2 path\$4 with schedul\$5) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 04:16
S54	90	(select\$4 near path\$4 with schedul\$5) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 04:17
S55	108	(select\$4 near route\$4 with schedul\$5) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 04:18
S56	27	(select\$4 near path\$4 with schedul\$5) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 04:20

S57	0	(select\$4 near (path\$4 or route\$4) with schedul\$5 near2 (priorit\$4 or class\$4)) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 04:25
S58	0	((select\$4 or choos\$4) near2 (path\$4 or route\$4) with schedul\$5 near2 (priorit\$4 or class\$4)) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 04:30
S59	56	(select\$4 near2 route\$4 with schedul\$5) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109") and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/26 04:31
S60	10	((select\$4 or choos\$4) near2 (path\$4 or route\$4) with schedul\$5) same (loadbalanc\$4 or balanc\$6) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 04:34
S61	27	retransmi\$5 with (alternativ\$4 or different\$4) adj2 (path) and (@ad<="20040109" or @pd<="20040109" or @rlan<="20040109" or @rlad<="20040109" or @rlpn<="20040109")	US-PGPUB; USPAT	ADJ	OFF	2009/05/26 04:54

5/ 26/ 2009 9:49:13 AM

C:\ Documents and Settings\ kcehic\ Desktop\ apps\ 10526959\ 959.wsp